

How does it work?

- Pre-compressed PUR foam tape with one side powder impregnation which provides vapour tighter properties on interior side

illbruck illmod trioplex - 3 in 1



The diagram illustrates the application of the illbruck illmod trioplex - 3 in 1 tape. A roll of the tape is shown on the left, with a section unrolled and applied to a substrate. The tape is shown in a cross-section, revealing three distinct layers. Three callout lines point from the text on the right to the corresponding layers of the tape.

- Ein Arbeitsschritt für die komplette Abdichtung
- Witterungsunabhängige Verarbeitung
- 1 Produkt für alle 3 Ebenen
- Außen: schlagregendicht, witterungsbeständig und dampfdiffusionsoffen
- Mitte: wärmedämmend
- Innen: luftdicht und dampfbremsend

illbruck


Montage ● play ● stop ●



Reveal detail

- **illmod TRIO**


1 products



Ledge detail

- exterior foil
- PUR foam
- interior foil
- Primer & Nahtpaste

3 - 5 products



Reveal detail standard

- exterior foil
- PUR foam
- interior foil
- Primer & Nahtpaste

3 - 5 products

Benefits

- 6x faster application – one step
- no curing
- no cutting
- dilatation movement capability
- low cut off waste
- UV stable and weathering resistant
- 600 Pa water tight
- no application temperature limitation




Limitations

- max joint 15-30 mm
- relatively even reveal surface











23.03.2010

DM



23.03.2010

DM